42" CLASS (42.0" DIAGONAL)

37" CLASS (37.0" DIAGONAL)

32" CLASS (31.5" DIAGONAL)

42LH250H HI GLOSS BLACK

37LH255H MATTE BLACK 37LH250H HI GLOSS BLACK

32LH255H MATTE BLACK 32LH250H HI GLOSS BLACK





### LCD Commercial Widescreen Integrated HDTV with HD-PPV Capability

NEW! BUILT-IN b-LAN Includes full support of: LodgeNet's HD Video on Demand (VOD) LodgeNet's HD Free-To-Guest (FTG) Supports many other FTG system providers (see sales rep) Compatible with FMA-100

> EcoSmart<sup>TM</sup> Dynamic Power Savings Static Power Savings

Rohs Compliant

HD VOD PPV ENCRYPTION Integrated Pro:Idiom®

MPEG-2/MPEG-4 H.264 DECODING

DYNAMIC CONTRAST RATIO 20,000:1

NATIVE DISPLAY RESOLUTION 1366 x 768

BUILT-IN ATSC/NTSC/QAM CLEAR TUNER

INVISIBLE SPEAKER SYSTEM Hidden speaker grilles

180° DETACHABLE SWIVEL STAND

LG'S EXCLUSIVE XD ENGINE®

USB 2.0 MEDIA HOST FOR PHOTOS AND MUSIC

**USB CLONING** 

CLEAR VOICE II

REAL CINEMATM

2 HDMI<sup>TM</sup> INPUTS WITH HDCP V.1.3 with deep color

AUTO SENSING REMOTE JACK PACK (RJP) COMPATIBLE\*

2 YEAR LIMITED WARRANTY (parts and labor)

Contact your LG Sales representative on the RJPs that are compatible with the LH250H/LH255H series.





## WHEN IT'S GREEN.

LG is committed to improving product development, manufacturing and usage to meet the demand for environmentally friendlier products. Our LH250H/LH255H series televisions have technologies to reduce power consumption and in return increase **cost savings** per room. We've also placed limits in the amounts of harmful materials used in these televisions.

#### EcoSmart

Dynamic Power Savings - Using built-in algorithms, TV will automatically reduce the power consumption based on incoming video, while maximizing picture performance.

Static Power Savings - Picture brightness level can be set at the preferred power consumption level to reduce power and increase energy savings.

#### RoHS Compliant

Meets directive on restriction of hazardous substances.

# FEATURES

#### LG'S FREE-TO-GUEST COST EFFECTIVE SOLUTION

For Free-To-Guest hotel installations, when using LG's LMT7Z7 Free-To-Guest built-in technology plus LG's Free-to-Guest Management Appliance (FMA), virtual channel mapping and other adjustments can be made from the centralized head-end FMA system. This is an added value of time savings and therefore cost savings in labor charges by not having to go room to room for a change of settings.

#### HOTEL COSTS FOR FREE-TO-GUEST CHANNEL MANAGEMENT (OVER 5 YEARS)

	Labor Costs	*FMA MAP price	Total	Savings over other brand
Other brand	\$20 (est.) x 2 times per year (to update channels) x 100 rooms x 5 years		\$20,000	
LG Pro:Idiom TV (LH250H/LH255H) with LMT7Z7 technology built-in, plus FMA		\$1,999	\$1,999	\$18,001

<sup>\*</sup> FMA MAP price subject to change.

### FREE-TO-GUEST MANAGEMENT APPLIANCE

#### FMΔ

HEAD-END SYSTEM



Manages channel line-up changes, channel label changes, designates a startup channel, and can set the time/date, and broadcast that information to all the terminals on a regular basis. Also, enables Pro:Idiom tuning for Pro:Idiom encrypted content. Works in conjunction with installed LMT7Z7 card and sets with built-in LMT7Z7 technology.

### FREE-TO-GUEST LMT7Z7 TECHNOLOGY BUILT-IN

#### LMT7Z7

FREE-TO-GUEST TECHNOLOGY

Will allow viewing of HD secured Pro:Idiom encrypted content from Pro:Idiom licensed Cable or Satellite providers. Compatible with FMA-100 system. Pay-Per-View ready.

#### USB 2.0 will support JPG and MP3 files from a USB storage device.

USB 2.0 MEDIA HOST





#### **ENERGY SAVING LEVELS**

By selecting lower levels of backlight settings, a reduction in power consumption is achieved resulting in energy savings and lower costs.

#### **TESTING CONDITION IN VIVID/STATIC MODE**

Applied Model	Backlight Setting Value	Brightness/ Static [cd/m²]	Power Consumption [Watts]	Energy savings [%]
	Level 100	300.0	170.8	0.0%
	90	259.0	157.6	7.7%
	80	228.0	141.9	16.9%
	70	208.0	130.2	23.8%
42LH250H	60	188.0	119.6	30.0%
	50	158.0	108.4	36.5%
	40	122.0	95.3	44.1%
	30	97.0	81.1	52.5%
	20	68.0	69.8	59.1%
	10	43.0	55.1	67.7%
	1	23.0	45.6	73.3%
	Level 100	360.0	147.6	0.0%
	90	326.0	135.0	8.5%
37LH255H 37LH250H	80	290.0	126.0	14.6%
	70	249.0	115.2	22.0%
	60	224.0	106.2	28.0%
	50	196.0	97.2	34.1%
	40	166.0	86.4	41.5%
	30	140.0	75.6	48.8%
	20	112.0	63.6	56.9%
	10	89.0	54.0	63.4%
	1	59.0	43.8	70.3%
32LH255H 32LH250H	Level 100	314.0	111.6	0.0%
	90	283.0	102.0	8.6%
	80	248.0	93.0	16.7%
	70	222.0	86.4	22.6%
	60	198.0	79.4	28.9%
	50	176.5	72.9	34.7%
	40	149.0	66.0	40.9%
	30	116.0	58.2	47.8%
	20	81.0	51.0	54.3%
	10	58.5	42.8	61.6%
	1	30.0	37.2	66.7%

Note: Power consumption was measured with video signal - IEC62087 dynamic broadcast. Energy Saving percentages listed are based on Energy Saving percentages are based off of level 100.





**SHARPER** 

**BRIGHTER** 

**CLEARER** 





Six distinct processes contribute to picture improvement. LG's XD Engine takes the low resolution of analog signals to near HD levels by improving brightness, contrast, detail and enhancing color as well as reducing signal noise.

## invisible

SPEAKER

#### **SOUND IS HEARD, NOT SEEN**

Enjoy a combination of smart technology and stylish design with the invisible speaker system custom tuned by audio expert Mr. Mark Levinson. This unique system provides a clean, polished look and an enhanced auditory experience by increasing the sweet spot and providing a wider sound field.



#### **USB CLONING**

USB cloning will allow for easy transfer of Public Display Settings from the "Master TV" to an unlimited number of same type televisions.





#### MOUNTING HOLES ON STAND ATTACHING THE TV TO A DESK







# DIMENSIONS







#### MPI SLOT REAR JACK PANEL







42LH250H HI GLOSS BLACK 37LH255H MATTE BLACK 37LH250H HI GLOSS BLACK

32LH255H MATTE BLACK 32LH250H HI GLOSS BLACK 42" CLASS (42.0" DIAGONAL)

37" CLASS (37.0" DIAGONAL)

32" CLASS (31.5" DIAGONAL)

LCD SPECIFICATION	
Screen Size (Class)	42" class (42.0" diagonal)
00.00.1 0.20 (0.000)	37" class (37.0" diagonal)
	32" class (31.5" diagonal)
Native Display Resolution	1366 x /68
Brightness	500 cd/m <sup>2</sup>
Dynamic Contrast Ratio	20,000:1
Viewing Angle	178°/178°
Color Reproduction	8 Bit 5ms
Response Time Life Span (Typical)	50,000 hrs
BROADCASTING SYSTEM	30,000 1113
Analog	Yes
ATSC/NTSC/Clear QAM	Yes
b-LAN (RF Modem)	Yes
VIDEO	
XD Engine	Yes
Video Codec	MPEG-2/4
Aspect Ratio	16:9
Aspect Ratio Correction	5 Modes
Just Scan 0% over scan	110 (07)
HDMI/Component:	HD/DTV
Enhanced Noise Reduction (Video Noise Filter	
Digital Comb Filter Color Temperature Control	Yes (3D) 3 Modes (Medium, Warm, Cool)
Black Stretcher	Yes
24p Real Cinema	Yes
Cinema 3:2/2:2 Mode	Yes
Picture Reset	Yes
EZ Picture/PSM	Yes (6 mode)
xvYCC (richer color)	Yes
DTV Signal Strength Indicator	Yes
Video Reset/Initializing	Yes
AUDIO	
Mono/Stereo/Dual (MTS/SAP)	Yes
Audio Output Power	10W x 2
Invisible Speaker System Details Dolby Digital 5.1 Decoder	1 Way 2 Speaker Yes
Surround System Type	SRS TruSurround XT
Bass/Treble/Balance Controls	Yes
Clear Voice II	Yes
Auto Volume Leveler	Yes
EZ Sound Mode/SSM	5 Modes
SPECIAL FEATURES	
Integrated Pro:Idiom	Yes
Auto-Sensing RJP compatible	Yes (with select RJP versions, non - PIP)
Backlight Control	Yes
USB Cloning	Yes
1080p Source Input HDMI	60f/30f/24f
Component	60f/30f/29f
Auto Screen Adjust	Yes
Fresh White	Yes
Flashback (Previous Channel)	Yes
Quick Setup Guide	Yes
Parental Control w/V-Chip	Yes
Key Lock/Child Lock	Yes
Customizable Closed Caption/Sub-title	Yes
CONVENIENCE FEATURES	5 11 10 11 15
Language	English/Spanish/French
Alvin UI	Yes
Commercial Function Menu Auto Tuning/Programming	Yes Yes
Channel Add/Delete	Yes
Channel Labeling	Yes
Favorite Channel Programming	Yes
Auto/Manual Clock	Yes
On/Off Timer	Yes
Sleep Timer	Yes
Auto Off/Auto Sleep (When no video is preser	t) Yes

AUDIO/VIDEO INPUTS/OUTPUTS	1		
RF In (Antenna/Cable)	1/ 1///		
L/R Audio/Composite Video In	1 (rear), 1 (side)		
HD Component Video In (Y, Pb, Pr) + L/R Audie			
Speaker Out	1 (1W mono)		
HDMI/HDCP Input (V1.3 with Deep Color)	2 (1 port PC mode)		
RGB In (D-Sub 15pin) - PC	1 (up to WXGA)		
PC Audio Input	1		
RS-232c In (Service Only)	1		
USB 2.0 Input	1 (Side) Media Host (jpeg, mp3), Cloning, Service		
Remote Control Port out	1		
RJ45 (for RJP interface, non PIP)	1		
MPI Jack (RJ-12)	2 (1 rear, 1 on MPI card) for b-LAN game controller		
TV-LINK CFG (b-LAN phone MPI jack)	1		
CABINET/ACCESSORIES			
Cabinet Color	Glossy Black, Hi Gloss Black (LH250H), Matte Black (LH255H)		
Swivel Stand (degrees)	+90°/-90°		
Fire Retardant Cabinet Material	Yes		
Kensington Security System Slot	Yes		
Security Screws (TORX)	Yes (optional use)		
VESA® Compliant (WxH)	200mm x 200mm, M6 screw (42", 37")		
Remote Control	200mm x 100mm, M4 screw (32") Yes		
Cloning Capable	USB input, opt. LT2002, or opt. TLL-1100A		
POWER			
Voltage, Hz	100V - 240V, 50/60 Hz		
Stand-by Mode	Less than 1 W		
Dynamic/Static Power Savings	Yes		
Power Consumption (with Power Saving	Max 200W (42"),160W (37"),150W(32")		
Modes disabled)	Typical 173W (42"),145W (37"),120W (32		
RoHS Compliant	Yes		
DIMENSIONS & WEIGHT			
TV without stand (WxHxD)	31.6" x 20.7" x 4.2" (32") 36.2" x 23.4" x 3.4"(37")		
	40.4" × 25.7" × 3.4" (42")		
TV with stand (WxHxD)	31.6" x 22.9" x 8.8" (32")		
	36.2" x 25.9" x 11.6"(37")		
	40.4." x 28.1" x 11.6" (42")		
Shipping Dimensions (WxHxD)	40.4." x 28.1" x 11.6" (42") 38.7" x 24.6" x 7.4" (32")		
	47.0" x 26.2" x 9.0" (37")		
	52.4" x 30.3" x 9.0" (42")		
TV without stand weight	25.1 lbs (32")		
	29.1 lbs (37")		
	37.0 lbs (42")		
TV with stand weight	27.7 lbs (32")		
	33.0 lbs (37")		
	41.0 lbs (42")		
Shipping Weight	29.1 lbs (32")		
	40.2 lbs (37")		
	46.7 lbs (42")		
SERVICE/LIMITED WARRANTY	2 Years (Parts/Labor)		
UPC CODE			
42LH250H	7 19192 17618 8		
37LH255H	7 19192 17617 1		
37LH250H	7 19192 17614 0		
	/ 1/1/4 1/01 <del>4</del> 0		
	7 19192 17616 4		
32LH255H 32LH250H	7 19192 17616 4 7 19192 17615 7		

www.LGcommercial.com

Life's Good

LG Electronics U.S.A., Inc. Business Solutions Division 2000 Millbrook Drive Lincolnshire, IL 60069

**Customer Service:** 888.865.3026

Contact your LG Regional Sales Representative Hospitality: 800.228.1236 Enterprise: 800.897.8788 Channel: 800.897.8871

E-mail: LGcommercial@lge.com















